



# ONE goes a long way

Whether your doctor has prescribed once-daily **MOTPOLY XR** for you or you are switching from generic lacosamide...

**A single daily dose may make a difference**

With **MOTPOLY XR Copay Savings**, pay as little as **\$10 per month** on your **MOTPOLY XR** prescriptions\*



\*Subject to eligibility. Governmental beneficiaries excluded. Restrictions apply. Scan QR code or visit MotpolyXR.com.

#### References:

1. Centers for Disease Control. National Center for Chronic Disease Prevention and Health Promotion (NCCDPHP). *Epilepsy*. <https://www.cdc.gov/chronicdisease/resources/publications/factsheets/epilepsy/htm>. Accessed July 12, 2023. 2. Scheffer IE, Berkovic S, Capovilla G, et al. ILAE classification of the epilepsies: position paper of the ILAE Commission for Classification and Terminology. *Epilepsia*. 2017;58(4):512-521. 3. Terman SW, Aubert CE, Maust DT, et al. Polypharmacy composition and patient- and provider-related variation in patients with epilepsy. *Epilepsy Behav*. 2022;126(4):108428. 4. Kantor ED, Rehm CD, Haas JS, Chan AT, Giovannucci EL. Trends in prescription drug use among adults in the United States from 1999-2012. *JAMA*. 2015;314(17):1818-1831. 5. Centers for Disease Control. Comorbidity in adults with epilepsy—United States, 2010. *MMWR*. 2013;63(43):849-865. 6. Centers for Disease Control. Managing epilepsy well checklist. <https://www.cdc.gov/epilepsy/managing-epilepsy/checklist.htm>. Accessed November 22, 2023. 7. Motpoly XR [package insert]. Piscataway, NJ: Aucta Pharmaceuticals, Inc.; 2023. 8. Data on file, Aucta Pharmaceuticals; 2022. 9. Vimpat [package insert]. Smyrna, GA: UCB, Inc.; 2021.

ONCE-DAILY  
**Motpoly XR**<sup>™</sup>  
(lacosamide) extended-release capsules 

**SustainAbility**

Please see enclosed Medication Guide.

©2024 Aucta Pharmaceuticals, Inc. Jan 2024 033-1003

# ONE goes a long way

## MOTPOLY XR

Lacosamide...

**NOW** in a single daily dose may make a difference

#### IMPORTANT SAFETY INFORMATION

Do not stop taking MOTPOLY XR without first talking to your healthcare provider. Stopping MOTPOLY XR suddenly can cause serious problems. Stopping seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

ONCE-DAILY  
**Motpoly XR**<sup>™</sup>  
(lacosamide) extended-release capsules 

**SustainAbility**

Please see additional Important Safety Information throughout this brochure.

# Could MOTPOLY XR be right for your partial-onset seizures?



Do you take multiple medications multiple times per day?

Are you too busy to remember to take your medications?

A once-daily medication may ease the load



Not actual patients.

## INDICATION

MOTPOLY XR is a prescription medicine used to treat partial-onset seizures in adults and in children weighing at least 110 pounds (50 kg). It is not known if MOTPOLY XR is safe and effective for partial-onset seizures in children weighing less than 50 kg.

**MOTPOLY XR can cause serious side effects, including:**

- **Suicidal thoughts or actions** in a very small number of people, about 1 in 500. Call a healthcare provider right away if you have any of these symptoms, especially if they are new, worse, or worry you: thoughts about suicide or dying; attempt to commit suicide; new or worse depression; new or worse anxiety; feeling agitated or restless; panic attacks; trouble sleeping (insomnia); new or worse irritability; acting aggressive, being angry, or violent; acting on dangerous impulses; an extreme increase in activity and talking (mania); or other unusual changes in behavior or mood.

2 Please see enclosed Medication Guide.

# Challenges people with epilepsy may face



Comorbidities

**66%** of adults with epilepsy have at least **4 other chronic conditions**<sup>1</sup>

- Among the most common are CNS- and psych-related disorders<sup>2\*†</sup>



Polypharmacy

**~50%** of people with epilepsy take at least **5 medications, 3x higher than the general population (15%)**<sup>3,4</sup>

\*Psychosocial concerns, depression, severe headache, anxiety, migraine, learning difficulties, intellectual and developmental disabilities, and autism spectrum disorders.<sup>2,5</sup>

† Other non-CNS conditions include heart disease, stroke, hypertension, prediabetes, cancer, dermatitis, arthritis, emphysema, asthma, and ulcer.<sup>5</sup>

CNS=central nervous system.

- **Feelings of dizziness, double vision, sleepiness, or problems with coordination and walking.** Do not drive, operate heavy machinery, or do other dangerous activities until you know how MOTPOLY XR affects you. You should not drink alcohol while taking MOTPOLY XR.
- **An irregular heartbeat or may cause you to faint.** In rare cases, cardiac arrest has been reported. Call your healthcare provider right away if you: have a fast, slow, or pounding heartbeat or feel your heart skip a beat; have shortness of breath; have chest pain; feel lightheaded; or fainted or if you feel like you are going to faint. If you have fainted or feel like you are going to faint you should lay down with your legs raised.
- **Abuse or drug dependence.** MOTPOLY XR is a federally controlled substance (CV). Keep MOTPOLY XR in a safe place, to protect it from theft. Never give your MOTPOLY XR to anyone else, because it may harm them. Selling or giving away this medicine is against the law.

ONCE-DAILY  
**Motpoly XR**<sup>™</sup>  
(lacosamide)<sup>extended-release capsules</sup>

SustainAbility

# You are not alone

**Successful management of your seizures requires an active partnership between you, your health care provider, and family and friends.**

**There are things you can do to take care of yourself and your health including<sup>6</sup>:**

- Take your seizure **medicines** as prescribed
- Keep a record of your seizures and **track patterns** to help avoid triggers
- Get at least 7 to 8 hours of **sleep** each night
- **Exercise** regularly and safely each day
- Practice ways to **lower stress**
- Keep in touch with **friends** and **family** for support
- **Talk to your doctor** about health concerns




# MOTPOLY XR may help

## What is MOTPOLY XR?

- **MOTPOLY XR** is a prescription medicine used to treat partial-onset seizures in adults and in children weighing at least 110 pounds (50 kg)<sup>7</sup>
- **MOTPOLY XR** can be taken alone or in addition to other epilepsy medications<sup>7</sup>

## What makes MOTPOLY XR different?

- **MOTPOLY XR** has a proven technology that allows for a steady release of drug over time. This is why you only need to take **MOTPOLY XR** once daily<sup>7,8</sup>



## IMPORTANT SAFETY INFORMATION (cont)

- **A serious allergic reaction** that may affect your skin or other parts of your body such as your liver or blood cells. Call your healthcare provider right away if you have: a skin rash, hives; fever or swollen glands that does not go away; shortness of breath; tiredness (fatigue); swelling of the legs; yellowing of the eyes or whites of the eyes; or dark urine.

**The most common adverse reactions** are double vision, headache, dizziness, nausea, and sleepiness.

These are not all the possible side effects of MOTPOLY XR. Before you take MOTPOLY XR, tell your healthcare provider about all of your medical conditions, including if you have or have had:

- depression, mood problems or suicidal thoughts or behavior
- heart, kidney or liver problems
- abused prescription medicines, street drugs or alcohol in the past.

ONCE-DAILY  
**Motpoly XR**<sup>™</sup>  
(lacosamide) extended-release capsules

# ONE and done

Your doctor has prescribed **MOTPOLY XR** for you



MOTPOLY XR comes as a 100-mg, 150-mg, and 200-mg capsule

- **MOTPOLY XR** is taken **once-a-day**<sup>7</sup>
- Your doctor will decide which dosage is right for you
  - Your doctor may change your dose if needed
- You can take **MOTPOLY XR** with or without food<sup>7</sup>
- Capsules should be swallowed whole with liquid<sup>7</sup>
  - Do not open, chew, or crush the capsules

**Do not stop taking MOTPOLY XR without first talking to your doctor**

# SWITCH to One

Could **MOTPOLY XR** be right for you?

If you are already on lacosamide, your doctor may recommend you switch to once-daily **MOTPOLY XR**

- Equivalent dosing to lacosamide<sup>7,9</sup>
- Side effects with MOTPOLY XR are expected to be similar to those with immediate-release lacosamide<sup>7,9</sup>
- The most common side effects are dizziness, headache, nausea, and double vision<sup>7</sup>

**Your doctor can help make the switch from lacosamide IR to MOTPOLY XR easy**



Not actual patients.

## IMPORTANT SAFETY INFORMATION (cont)

Talk to your healthcare provider if you are pregnant or plan to become pregnant. It is not known if MOTPOLY XR can harm your unborn baby. Also talk to your healthcare provider if you are breastfeeding or are planning to breastfeed as MOTPOLY XR passes into breast milk.

Taking MOTPOLY XR with certain other medicines may cause side effects or affect how well they work. Do not start or stop other medicines without talking to your healthcare provider. Do not start or stop any medicines while taking MOTPOLY XR without talking to your healthcare provider.

ONCE-DAILY  
**Motpoly XR**<sup>™</sup>  
(lacosamide) extended-release capsules

**SustainAbility**